

DEPARTMENT OF THE ARMY HEADQUARTERS, 2ND INFANTRY DIVISION UNIT# 15041 APO AP 96258-5041

EAID-CG

1 December 2009

MEMORANDUM FOR SEE DISTRIBUTION

SUBJECT: 2ID Command Policy # 41 Fire Extinguisher Location in Wheel Vehicles

- 1. This policy applies to all 2D Infantry Division units.
- 2. References.
- a. TM 9-2320-280-20-3, Operator's Manual for Truck, Utility: S250 Shelter Carrier, 4x4, M113, Truck, Utility: Up-Armored Carrier, 4x4, M1114, dtd Oct 1997.
- b. TM 9-2320-280-10, Operator's Manual for Truck, Utility: Cargo/Troop Carrier, 1-1/Ton, 4x4, M998, M998A, M1038, M1038A1, M1097A1, M966, M966A1, dtd Oct 1996.
- c. TM 9-2320-387-10, Operator's Manual for Truck, Utility: Cargo/Troop Carrier, 1-1/4 Ton, 4x4, M998, M998A1, M1038A1, M1097, M1097A2, M1123, M966, M1121, M1036, M1045, M1045A2, M1046, M1025, M1025A1, M1025A2, M1026, M1043, M1043A2, M1044, M1037, M1042, M996, M996A2, M997, M997A1, M1035, M1035A1, M1151, M1152, dtd Jan 1996.
- d. TM 9-2320-279-10-2, Truck Tractor Line Haul Light Equipment Transporter Medium Equipment Transporter Truck Chassis Manual, dtd Jun 1987.
- e. TM 9-2320-366-10-2, Operator's Instructions Manual for M1083 Series, 5-ton, 6x6, Medium Tactical Vehicles (MTV), dtd Sep 1998.
- f. TM 9-2320-364-10, Operator's Instructions Manual for Truck, Tractor M1074 and M0175 Palletized Load System (PLS), dtd Aug 1999.
- 3. PURPOSE: My intent in implementing this policy is to provide guidance and establish policy to ensure fire extinguishers are properly mounted in wheel vehicles IAW the proper Technical Manuals (TMs) **NLT 4 January 2010** in order to ensure the safety of assigned personnel.
- 4. Commanders at echelon, Command Sergeants Major, First Sergeants and first line supervisors will implement and establish these guidelines in order to increase the survivability of both personnel and equipment and to maintain our readiness posture.

5. DISCUSSION:

a. Leadership at all levels will ensure that serviceable fire extinguishers with a current inspection within one (1) year will be mounted in all wheel vehicles.

EAID-CG

SUBJECT: 2ID Command Policy # 41 Fire Extinguisher Location in Wheel Vehicles

- b. Fire extinguishers will be mounted IAW the guidance stated below:
 - (1) HMMWV Models M966, M996, M997, M998, M1025, M1026, M1035, M1036, M1037, M1038, M1042, M1043, M1044, M1045, and M1046: **underneath the driver seat** (TM 9-2320-280-20-3, page 10-94, section 10-58) (See Annex A, Picture 1)
 - (2) HMMWV Models M1097, M1097A1, M1097A2, and M1123: **underneath the driver seat** (TM 9-2320-280-10, page 2-6) (See Annex A, Picture 2)
 - (3) HMMWV Models M1113 and M1114: **left side of the driver seat** (TM 9-2320 387-10, figure E-2, section E-2 General) (See Annex A, Picture 3)
 - (4) HMMWV Models M1151 and M1152: **left side of the driver seat** (TM 9-2320-387-10, figure E-2.1, section E-2 General) (See Annex A, Picture 4)
 - (5) HEMTT: **right side of driver seat** (TM 9-2320-279-10-1, page 2-180 section 2-14) (See Annex A, Picture 5)
 - (6) MTV: underneath driver seat (TM 9-2320-366-10-2, page 2-730, section 2-59) (See Annex A, Picture 6)
 - (7) PLS/LHS: **between the driver and TC** (TM 9-2320-364-10, page 2-225, section 2-27) (See Annex A, Picture 7)
- c. Units will submit requisitions for all wheel vehicles identified as missing mounting brackets. Ensure all drivers, TCs, and occupants know the location of the fire extinguisher IAW the guidance stated above.
- 6. The POC for this policy is the 2ID ACofS, G4 Division Maintenance Office (DMO) at DSN 732-6322.


Encl


MICHAEL S. TUCKER Major General, USA Commanding

DISTRIBUTION:

Α


Annex A: Fire Extinguisher Location





HMMWV Models M966, M996, M997, M998, M1025, M1026, M1035, M1036, M1037, M1038, M1042, M1043, M1044, M1045, and M1046


Annex A: Fire Extinguisher Location






HMMWV Models M1097, M1097A1, M1097A2, and M1123

Annex A: Fire Extinguisher Location









HMMWV Models M1113 and M1114

Annex A: Fire Extinguisher Location




Driver Side (Left)




HMMWV Models M1151 and M1152

Annex A: Fire Extinguisher Location





Passenger Side (Front)



MIV


Annex A: Fire Extinguisher Location







Annex A: Fire Extinguisher Location



Between TC and Driver



HEMTT